

## **GASCOL ANTACID SUSPENSION**

Each 5ml contains:

Magaldrate USP	.....540mg
Simethicone USP	.....100mg

**CLINICAL PHARMACOLOGY:** Gascol is an antacid and anti-flatulent. It is a combination of Magaldrate and Simethicone. The antacid works by neutralizing stomach acid and increasing the pH of the stomach. The antifatulent works by breaking up gas bubbles, which makes gas easier to eliminate.

**INDICATIONS :** Gascol is indicated to relieve dyspepsia, heartburn, hyperacidity, acid indigestion, gastric and duodenal ulcer, gastritis, gastroesophageal reflux. It is also indicated for the relief of flatulence, abdominal distention and windy colic.

**DOSAGE AND ADMINISTRATION:** 1-2 teaspoonful (5-10ml) to be taken between meals and at bed time or as directed by the medical practitioner. It can be taken with or without food.

**SIDE EFFECTS:** Constipation, Diarrhea & Intestinal pain.

**CONTRAINDICATIONS:** Gascol is contra-indicated in patients that are:

- Hypersensitive to any of its ingredient.
- With Kidney problems
- With intestinal obstruction, appendicitis & chronic diarrhea

**WARNINGS & PRECAUTIONS:** Caution should be exercised in patients with history of appendicitis, stomach pain, nausea, vomiting, diarrhea, blockage of the bowel, rectal bleeding of unknown cause, kidney problems, or have undergone recent bowel surgery, on a low-magnesium diet, who are taking other medications, any allergy, during pregnancy and breastfeeding. Avoid excess dosage.

**Use in pregnancy & lactation:** Gascol can be used in pregnancy only when necessary . Chronic high dose should be avoided.

**SYMPTOMS OF OVERDOSE & ANTIDOTE:** Large doses can cause obstruction. Do not use maximum dose of this product for more than two weeks, except under the advice and supervision of a physician.

**DRUG INTERACTIONS:** Do not take with tetracycline antibiotics. Antacids can interfere with the absorption of iron preparations.

### **STORAGE:**

Keep in a cool & dry place, store below 30°C . Protect from direct sunlight.  
Keep all medicines out of reach of children.

**Presentation:** 150ml

**NAFDAC Reg.No:** 04-6546

**Manufactured By:**



Fidson Healthcare Plc  
Km.38, Lagos-Abeokuta Expressway,  
Sango Ota, Ogun State, Nigeria.  
Email: [Customercare@fidson.com](mailto:Customercare@fidson.com), Website: [www.fidson.com](http://www.fidson.com)  
Customer care line: +234 807 700 8888